

BRAKE TESTING TECHNOLOGY

MBT 4000 SERIES

BT 1610 VP 410196





BT 1610 VP 410196

The test-lane-compatible roller brake tester BT 1610 is designed for the brake testing of trucks with axle loads of up to 13.0 t. Its standard split design for pit installation ensures a high level of flexibility within the working area. Its multi-analogue display, with two pointer gauges, enables the display of brake, side-slip and shock absorption test results.

PRODUCT DETAILS/ACCESSORIES

Description of the MBT 4200 LON: Test lane-enabled roller brake tester with multi-analogue display for lorries with an axle load of up to 13 t

- Divided design supplied as standard for installation in a working pit enables a high level of flexibility with regard to the area of use
- The dimensions offer the best testing opportunities for standard cars and lorries
- Multi-analogue display with two pointer indicators

(Diameter: 2 x 350 mm)

- Measured value display
- 0 4 kN / 0 40 kN
- · Display option for:
 - Brake tester
 - Wheel arch tester
 - Shock absorption tester
- Difference display (three-digit + LED bar) for displaying:
 - Difference in braking force in %
 - · Difference in shock absorption in %
 - Deviation in wheel arch in m/km
 - Results evaluation using additional coloured LED bars
 - · User guidance using alphanumerical display
- Program control using 32-bit microprocessor electronics

enables the finest resolution for the measurement results Dimensions of display (H x W x D) $$910\,x\,870\,x\,300\ mm$ Dimensions of display with

option* (W x H x D)

1060 x 870 x 300 mm

- * With all-wheel regulation set
- Comprehensive package of functions for professional testing, such as:
 - Delayed automatic switch-on after entering the tester
 - Automatic start-up monitoring supplied as standard to avoid tyre damage

- Automatic slip cut-off with pointer stop and automatic restart already included as standard
- Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
- · Automatic cut-off after exiting the tester
- Single-wheel switching for differentiated consideration of each wheel
- · Robust and long-lasting design due to:
 - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
 - Roller surface welded
 - Optional, free plastic coating on the test rollers
 - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
 - Lockable main switch
 - RS 232 interface connection
 - Splash-proof motors work reliably, even under high-stress environmental influences
 - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
 - Internationally recognised TÜV certificate as per issue 9/2011 of the Verkehrsblatt [German Transport Gazette]
 - · Star-delta circuit to avoid high inrush currents
 - RS 2 roller set design with space-saving motor integration underneath the test rollers
 - Rear roller elevated by 40 mm guarantees highly precise measurement results, particularly for trailer axles.
 - Self-supporting divided roller set
 - Varnished with high-quality powder coating: Anthracite Grey, RAL 701

Scope of delivery:

- Analogue display with two pointer indicators and an integrated switch cabinet
- MBT 4000 RS 2 roller set with preparation for weighing equipment

TECHNICAL DATA

Axle load (can be driven over)

13000 kg

Technical Datasheet / 30/09/2022







BRAKE TESTING TECHNOLOGY MBT 4000 SERIES

BT 1610 VP 410196



TECHNICAL DATA

Drive power	2 x 9 kW
Test speed	2.3 km/h
Roller length	1000 mm
Roller diameter	202 mm
Roller axle distance	430 mm
gG fuse	50 A
Power supply	3/N/PE 400 V 50 Hz

ACCESSORIES						
VZ 955278	Add-on Kit Brake Tester Directive Model: Directive 2011	VZ 955256	Wall holder for Multi-analog display 2 or 4, 180° swivable			
VZ 930047	Additional Charge for 2 Re-inforced 11kW drive motors Fused 63 Amp slow.	VZ 950057	Simultanous Display for MBT 4000/7000 LON/- EUROSYSTEM TYP: MSA T CLASSIC			
VZ 935010	Flush-Floor Roller Set (both Front & Rear Rollers raised 40 mm) for MBT 4000 RS.No.2	VZ 950058	Simultanous Display for MBT 4000/7000 LON/- EUROSYSTEM TYP: MSA T VARIODATA			
VZ 935142	Approach Ramp MBT 4000 RS No.2 (2 pcs.), made of Steel	VZ 955252	Differential display for Simultanous Display MSA			
VZ 935275	Vehicle Weight-Bearing Roller Cover Plates (4	VZ 955253 VZ 955254	Display module VARIODATA LED-running letters (16 digits) with convenient			
	pcs.), Galv. Steel, for MBT 4000 RS No. 2		operator guidance			
VZ 935157	Angle Iron Frame for MBT 4000 RS.No.2 for Weighing Machine with Pit, galvanized	VZ 955269	Installation Kit to attach Simultanous Display MSA to Wall (approx. 90° swivalable)			
VZ 935155	Angle Iron Frame for MBT 4000 RS.No.2 for Weighing Machine w/o Pit, galvanized	VZ 955255	Wall holder for SimultanousDisplay MSA (approx. 180° swivalable)			
VZ 935180	Center Cover between Roller Sets, for MBT 4000	VZ 955270	Foot for Simultanous Display MSA, (approx. 180° swivalable) for free-standing installation Display and Control Cabinet Installed Separately			
VZ 975548	Weighing device STATIC/ DYNAMIC for MBT 4000/6000/7000	VZ 950064				
VZ 935077	Two Testing Speeds		IES PRINTER AND REMOTE CONTROLS			
VZ 935006	Roller Heating		Radio remote control MODEL: RECO 1 incl.			
VZ 985052	Hydr. Load Simulator Double HD Cylinder Model: MLS 2100		reception module Pedal force meter			
VZ 990201	Converter Board for Control of Hydraulic Load		IES SAFETY SYSTEMS			
	Simulator Roller Set Lifting		Key Switch for Emergency Stop			
VZ 935198	Lashing Straps for Hydr. Load Simulator (2 pcs)	VZ 955045	3 , 1			
VZ 935199	Fastening Set for Hydr. Load Simulator		Working hour meter			
VZ 935200	Fastening Clamps (2 pcs.) for Hydr. Load Simulator		PROTECTIVE ACCESSORIES			
VZ 935264		VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet			
, 0020 .			IES PRESSURE EQUIPMENT AND RADIO EQUIPMENT			
VZ 935112	Adapter frame to convert MBT 7000 foundation frame to MBT 4000 roller set		Start set radio controlled pressure converter			
VP 935236	Floor Anchors -Above-Groundfor Raisable Roller Set		module			
VP 935237	Floor Anchors -In-Groundfor Raisable Roller Set	VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)			
VZ 935232	Adapter Set Continental CTC II / Workshop Tab -NET-	VZ 980029	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: RCD 40			
VZ 935276	Prefitting with holder set for Continental CTC II -NET PRICE-	VZ 985028	Hydr.Radio-Controlled Pressure Converters, Range: 0 - 160 bar MODEL: RCD 30 - 160 bar			
VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)	VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters			
CONTROLLI	NG SYSTEM AND SPECIAL VOLTAGE	VZ 990090	Warning Lamp f. Radio-Control. Pressure			
VZ 935072	Driving and Testing direction manually switchable at console		Converters when being removed from Re- Charging Box			
VZ 935134	Driving in both directions	ACCESSOR	IES HARD- AND SOFTWARE			
VZ 990181	4 wheel drive regulator set for Visco and Rigid 4 WD (MBT 4000/7000 Series)		Software LON Basic for external PC Software module LON Basic Plus with SP-			
VZ 935113	DC-Brake for MBT 4000/7000Roller Sets		Program Basicof Software BASIC-LON			
VZ 990350	Special voltage 3 x 230 V 50Hz	VZ 911273	' '			
ACCESSORI	ES ANALOG-/SIMULTAN- EOUS DISPLAYS		program			
VZ 955257	Foot for display cabinet for free-standing installation	VZ 910140	USB/RS 232 Converter for Connection to PC/ Laptop w/o. RS 232 Interface -NET-			





BRAKE TESTING TECHNOLOGY MBT 4000 SERIES

BT 1610 VP 410196



	VP 186050	Communication Desk EUROSYSTEM Car/Truck (w/o electronics) Model: MCD 2000	VT 995068	Transportkosten Schaltschrank, Simultananzeige, PC-Pult pro Stück
	VZ 955273	The second secon	VT 995004	Transportkosten Einbaurahmen geteilt
		EUROSYSTEM MCD 2000	VT 998147	Transportkosten Einbaurahmen ungeteilt
	VZ 955274	Side Shelf for Comm. Desk EUROSYSTEM MCD 2000	VT 995069	Transportkosten hydraulischer Gewichtssimulator
	VZ 910177	Industrial PC Compact with Windows 10 -NET PRICE	VT 995711	Transportkosten Einbaurahmen für Rollensatzanhebung
	VZ 910052	PC Keyboard and Mouse -NET PRICE	VM 999005	Hydraulic Oil (HLPD 32) per Litre -NET PRICE
	VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-	VM 996113	Assembly costs Brake Tester MBT 4250/-7250 LON MBT 5200/-6200
	VZ 910192	LCD simultaneous display unit 40 incl. pedestal; HDMI-NET PRICE-	VM 995148	Routine Test/Calibration acc. to Verkehrsblatt 99/2022 Truck Brake Tester
	VZ 955244	Rotatable & Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 42)	VM 996088	Montagekosten Allradregelsatz bei Neuinstallation
	VZ 910193	HDMI Cable 5 m -NET PRICE	VM 996090	Assembly Costs Radio Pressure Converters (max.
	VZ 910179	HDMI Cable 15 m -NET PRICE		10 pcs.) per unit/recharging box
	VZ 910180	HDMI Cable 30 m -NET PRICE	VM 995679	Assembly Costs per Display Unit
	VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE	VM 996136 VM 996185	Montagekosten Niederzieh- und Hebevorrichtung
	VZ 910091	J		-nach Aufwand-
		PRICE-		Montagekosten Bodenanker für
SUPPLEMENTARY CHARGES		1010000111	Rollensatzanhebung -nach Aufwand-	
	VT 995707	Transportkosten Bremsprüfstand MBT 4000/5000/7000-Serie	VM 996114	Pre-assembly Brake Tester MBT 4000/5000/6000/7000 with 20m cable
VT 99	VT 995655	55 Transportkosten PC-Recheneinheit in Verbindung mit Pult	VM 996115	Connection and Calibration MBT 4000/5000/6000/7000 with 20 m cable
			VV 997584	Packing Charges Roller Set Lift





